



Consortium

Onderzoek Huisartsgeneeskunde





General practice Research Infrastructure Pandemic Preparedness Program (GRIP3)

Marco Blanker – Mark Spigt



Disclosure belangen spreker(s)


Blanker & Spigt

(potentiële) belangenverstrengeling	Geen
Voor bijeenkomst mogelijk relevante relaties met bedrijven	
• Sponsoring of onderzoeksgeld • Honorarium of andere (financiële) vergoeding • Aandeelhouder • Andere relatie, namelijk...	

WP infrastructuur - doelstelling

Huisartsengeneeskundig onderzoek in Nederland sterk te verbeteren


- Eenvoudiger maken voor huisartsen en patiënten om mee te doen aan wetenschappelijk onderzoek
- Bij toekomstige pandemieën sneller betrouwbare onderzoeksgegevens kunnen leveren



PLATFORM-COVID studie

PLATForm cOnsoRtium trial on COVID

- Effect van bestaande medicatie op herstel COVID-19
- Kwetsbare patiënten in eerste lijn
(ouderen en/of co-morbiditeit)
- Tijd tot volledig herstel (follow-up 28 dagen)
- Samenwerking tussen Maastricht, Amsterdam en Utrecht
- Landelijke platform trial
 - samenwerking met PRINCIPLE/PANORAMIC trials UK en andere Europese initiatieven
- Nu bij METC; start voor volgende golf 🤔



Keuze van medicatie


- Door huisartsen in het team
- Op basis van living reviews/guidelines
- Nu: Symbicort en Montelukast
- Open voor nieuwe medicatie



The screenshot shows the header of a clinical guideline document. The top bar is blue with the CMI logo (Clinical Microbiology and Infection) and the ESCMID logo (European Society of Clinical Microbiology and Infectious Diseases). Below this, the text 'GUIDELINES | VOLUME 28, ISSUE 2, P222-238, FEBRUARY 01, 2022' is displayed. The main title is 'ESCMID COVID-19 living guidelines: drug treatment and clinical management'. The authors listed are Michele Bartoletti, Ozlem Azap, Aleksandra Barac, Paul E. Verweij, Ines Zollner-Schwetz, and Jesús Rodríguez-Baño. The publication date is November 21, 2021, and the DOI is <https://doi.org/10.1016/j.cmi.2021.11.007>. On the left side of the page, there is a vertical menu with links to Abstract, Keywords, Background, Methods, Questions addressed by guidelines and recommendations, and What is the... The main content area is titled 'Abstract' and includes sections for 'Scope' and 'Methods'. The 'Scope' section states that in January 2021, the ESCMID Executive Committee decided to launch a new initiative to develop ESCMID guidelines on several COVID-19-related issues, including treatment of COVID-19. The 'Methods' section describes the establishment of an ESCMID COVID-19 guidelines task force by the ESCMID Executive Committee, the selection of panel members, and the use of a simple majority vote for decisions. A long list of clinical questions using the PICO (population, intervention, comparison, outcome) format was developed at the beginning of the process. For each PICO, two panel members performed a literature search with a third panellist involved in case of inconsistent results. Voting was based on the GRADE approach.

Werving via huisartsen

- Landelijke aanmelding
- Aanmelding van huisarts via Zorgdomein
- Verdere inclusie door onderzoeksteam



Uitdaging; op tijd starten medicatie

- Liefst direct starten medicatie
- Maar ethische bedenktijd
 - voorlopige inclusie;
 - randomisatie;
 - opsturen informed consent;
 - 's ochtends ondertekening beeldbellen;
 - 's middags medicatie.
- Nauwe samenwerking met apotheek en de post

